

SCHEME RULES UNDER THE LIFTS REGULATIONS 2016

and

THE SUPPLY OF MACHINERY (SAFETY) REGULATIONS 2008

Lift Cert Ltd Management System activities are geographically restricted to The United Kingdom and the Channel Islands.

Registered in England & Wales
No: 4566351

Registered Office:
LIFT CERT LIMITED
40 Tiddington Road
Stratford upon Avon
Warwickshire
CV37 7BA

Mobile: 07799 477237
e mail: malcolm.miles@liftcert.co.uk

**SCHEME RULES UNDER THE LIFTS REGULATIONS 2016 and
& THE SUPPLY OF MACHINERY (SAFETY) REGULATIONS 2008**

Contents

**Section
Page No**

1	Introduction.....	3
2	Scope	3
3	Applications	3
4	General Activities	8
5	Design Assessment	8
6	Inspection.....	9
7	Continuing Registration	9
8	Suspension and Withdrawal of Certification	10
9	Quality System and Surveillance	12
10	 Appeals.....	13
11	 Modifications.....	13
12	 Records.....	14
13	 UKCA Marking.....	14
14	 Fee Structure.....	14
15	 Confidentiality.....	14
16	 Reference.....	15
17	 Appendix – The Lifts Regulations 2016 only	16

Applicants are required to read these rules and confirm acceptance by signing the associated Application Form.

1 Introduction

This document states the rules that are to be applied to any activity relating to certification of products under The Lifts Regulations 2016 or The Supply of Machinery (Safety) Regulations 2008. These rules are mandatory and reflect the content of the relevant United Kingdom statutory instrument. Any change to the application of the rules can only be with the formal, documented approval of the Technical Director.

2 Scope

2.1 These rules apply to all activities undertaken under **The Lifts Regulations 2016** or The Supply of Machinery (Safety) Regulations 2008. The rules apply to LIFT CERT Limited and the Applicant as appropriate.

3 Applications

3.1 The Applicant shall submit the following details with any request for conformity assessment services:

THE LIFTS REGULATIONS 2016

3.1.1 Signed original of Application Form (LC002)

3.1.2 **Sch11 A** Type Examination of Safety Components for Lifts

- the name and address of the manufacturer and, if the application is lodged by the authorised representative, his name and address as well and the place of manufacture of the safety components for lifts;
- a written declaration that the same application has not been lodged with any other approved body;
- the technical documentation as per The Lifts Regulations Schedule 11 A; clause 3 a-h.
- a representative specimen of the safety component for lifts or details of the place where it can be examined. Lift Cert Limited may request further specimens if needed for carrying out the test programme;
- the supporting evidence for the adequacy of the technical design solution. This supporting evidence shall mention any documents, including other relevant technical specifications, that have been used, in particular where the relevant designated standards have not been applied in full. The supporting evidence shall include, where necessary, the results of tests carried out in accordance with other relevant technical specifications by the appropriate laboratory of the manufacturer, or by another testing laboratory on his behalf and under his responsibility.

3.1.3 **Sch 11 B** Type Examination of Lifts

- the name and address of the installer and, if the application is lodged by the authorised representative, his name and address as well;
- a written declaration that the same application has not been lodged with any other approved body;
- the technical documentation as per The Lifts Regulations Schedule 11 B; clause 3 a-j.
- details of the place where the specimen lift can be examined. The specimen lift submitted for examination shall include the terminal parts and be capable of serving at least three levels (top, middle and bottom)
- the supporting evidence for the adequacy of the technical design solution. This supporting evidence shall mention any documents, including other relevant technical specifications, that have been used, in particular where the relevant designated standards have not been applied in full. The supporting evidence shall include, where necessary, the results of tests carried out in accordance with other relevant technical specifications by the appropriate laboratory of the manufacturer, or by another testing laboratory on his behalf and under his responsibility.

3.1.4 **Sch 12** Final Inspection for Lifts

- the plan of the complete lift
- the plans and diagrams necessary for final inspection, in particular control circuit diagrams
- copy of the instructions referred to in The Lifts Regulations 2016 Schedule 1, point 7.2
- a written declaration that the same application has not been lodged with any other approved body
- full name and address of the lift owner and the location of the lift

3.1.5 **Sch 13** Conformity to Type based on Product Quality Assurance for Safety Components for Lifts

- the name and address of the manufacturer and, if the application is lodged by the authorised representative, his name and address as well;
- a written declaration that the same application has not been lodged with any other approved body;

- the address of the premises where final inspection and testing of the safety components for lifts are carried out:

3.1.6 Sch 14 Conformity based on Full Quality Assurance for Safety Components for Lifts

- the name and address of the installer and, if the application is lodged by the authorised representative, his name and address as well;
- a written declaration that the same application has not been lodged with any other approved body;
- the address of the premises where final inspection and testing of the Safety Component for lifts are carried out
- all relevant information on the Safety Components for lifts to be manufactured
- The Quality system documentation.
- the technical documentation of the approved Safety Components for Lifts and a copy of the Type Examination certificate

3.1.7 Sch 15 Unit Verification

- the name and address of the installer, and if the application is lodged by the authorised representative, his name and address as well;
- the location where the lift is installed;
- a written declaration to the effect that a similar application has not been lodged with another notified body;
- the technical documentation.

3.1.8 Sch 16 Conformity to Type with Random Checking for Safety Components for Lifts

- the name and address of the manufacturer and, if the application is lodged by the authorised representative, his name and address as well;
- a written declaration that the same application has not been lodged with any other notified body;
- all relevant information on the safety components for lifts manufactured;
- the address of the premises where the sample of the safety components for lifts can be taken.

3.1.9 Sch 17 Conformity to type based on product QA for Lifts.

- the name and address of the installer, and if the application is lodged by the authorised representative, his name and address as well;
- all relevant information on the lifts to be installed;
- the documentation on the quality system;
- the technical documentation of the lifts to be installed
- a written declaration that the same application has not been lodged with any other notified body;

3.1.10 Sch 18 Conformity based on full QA plus design examination for lifts

- the name and address of the installer, and, if the application is lodged by the authorised representative, his name and address as well;
- all relevant information on the lifts to be installed, in particular information which makes for an understanding of the relationship between the design and operation of the lift;
- the documentation on the quality system;
- the technical documentation described in point 3 of Schedule 11, Part B;
- written declaration that the same application has not been lodged with any other notified body.

Design exam

Identification of clauses of EN81 not complied with.

- How the design will ensure compliance with the Regulations
- Design Solution
- Full name and address of Designer of Lift.

3.1.11 Sch 19 Conformity to type based on production QA for lifts

- the name and address of the installer, and, if the application is lodged by the authorised representative, his name and address as well;
- all relevant information for the lifts to be installed;
- the documentation on the quality system;
- the technical documentation of the lifts to be installed;
- a written declaration that the same application has not been lodged with any other notified body.

THE SUPPLY OF MACHINERY (SAFETY) REGULATIONS 2008

3.1.12 Signed original of Application Form (LC002).

3.1.13 The Supply of Machinery (Safety) Regulations 2008 – Schedule 2 - Part 9

- Technical File in English
- List of designated Standards used
- Sample of machine or a statement as to where such example can be examined

3.1.14 The Supply of Machinery (Safety) Regulations 2008 – Schedule 2 Part 10

Quality System Documentation including scope of activities and Technical File in accordance with Schedule 2 Part 7A for each Schedule 2 Part 4 machine to be manufactured.

THE LIFTS REGULATIONS 2016 and THE SUPPLY OF MACHINERY (SAFETY) REGULATIONS 2008

3.2 A Technical File or Dossier for all Applications shall contain:

3.2.1 General Arrangement Drawing of the product and Drawing of electrical, pneumatic and/or hydraulic control circuits.

3.2.2 Full detailed Drawings, calculations, notes, test results and any other data which may be necessary to check the conformity of the product with Essential Health and Safety requirements.

3.2.3 A description of methods adopted to eliminate hazards presented by the product, a list of Designated Standards, National Standards or other documents used to ensure conformity.

3.2.4 A copy of the instructions to be supplied with the products these to be in English.

3.2.5 For series manufacture the internal measures which will be used to ensure that all products of the type referred to in the Application are in conformity with the provisions of the Regulations.

3.2.6 A Matrix of Technical Information to be supplied under Schedule 11 and Design Examination Applications is given in Appendix 1. (Sch 15 may be used as a guide for Type examination).

3.3 Where a product is modified, the original Applicant, or his legal successor, must inform LIFT CERT Limited of the Modification.

3.4 The Applicant will freely supply all relevant information necessary to allow assessment for conformity with the Directive to LIFT CERT Limited. If an Application has been submitted to any other Approved Body then LIFT CERT Limited must be informed and the circumstances resulting in a submission to LIFT CERT Limited must be fully and frankly documented.

3.5 The Applicant shall provide, where considered necessary by LIFT CERT Limited, access to relevant samples of the machine.

3.6 Where the conformity assessment includes under the Regulations a requirement to assess the Quality System then LIFT CERT Limited shall be provided with relevant documentation and facilities to allow a Quality System Assessment and Product Audit to be carried out.

3.7 All documented information submitted to be in English language.

4 General Activities

- 4.1 On receipt of an Application LIFT CERT Limited shall advise of proposed completion date for the project, which shall normally be defined as the issue of any certification. If the work cannot be initiated within a period of three months then the Applicant shall be so advised and the work may be refused
- 4.2 A budget estimate of the cost shall be advised, if required, prior to undertaking any works associated with the Application. If the budget figure will, or is likely to, be exceeded then the Applicant shall be informed as soon as practicable.
- 4.3 No information gained during the project shall be divulged to any other person by LIFT CERT Limited, or where relevant any Sub-contractor, with the exception of those statutory bodies defined within the Regulations or regulatory bodies who may from time to time request such information in pursuance of the Application of the Regulations.
- 4.4 All persons employed by LIFT CERT Limited either directly or as a sub-contractor shall be required to sign a Confidentiality and Disclosure Declaration. On receipt of evidence that the provisions of this Declaration have been breached the Applicant will be informed and any disciplinary action or penalty invoked.
- 4.5 When a sub-contractor is to be used the Applicant will be informed and the works to be undertaken by the sub-contractor will be fully described.
- 4.6 If the assessment module includes a requirement to assess the Quality System then LIFT CERT Limited shall inform the Applicant of the minimum frequency of audit visits. If this minimum frequency is to be reduced then the Applicant shall be informed immediately and the reason for such reduction clearly documented. Where the Applicant operates a Quality System in accordance with ISO 9000 Series the surveillance audit period will be annual with a full re-assessment every 3 years. If these periods are to be reduced then the reasons for this will be stated, in writing, to the Applicant.

Any changes to the Quality System, including changes in relevant personnel must be referred to LIFT CERT Limited for assessment.

As required by the Lifts Regulations 2016 and SOMSAR 2008, LIFT CERT Limited shall inform **BEIS** of any Quality System Approvals or Certificates issued. As required by The Lifts Regulations 2016 **BEIS** will be informed of all UK Design Examination Certificates issued. **BEIS** and other Approved Bodies will be informed of any approvals or Certificates Refused, Withdrawn or Suspended.

5 Design Assessment

In the following cases a design assessment shall be undertaken:

The Lifts Regulations

Sch 11 A and B

Sch 15

Sch 18 (where the Applicant does not apply the Harmonised Standard).

The Supply of Machinery (Safety) Regulations 2008 – Schedule 2 Part 9

6 Inspection

6.1 Sch 11 A and B Type-Examination of Model Lift or Safety Component.

- A prototype of the equipment that is to be subjected to type approval shall undergo a full examination by LIFT CERT Limited. In all cases this shall include witness of functional tests as described in LC007 and LC008 /BS 8486-3 + supplementary test BS 8486-4 to 9.

For safety components reference relevant clauses of EN81: Part 50.

6.2 Sch 12 Final Inspection of Lift.

- Under this module LIFT CERT Limited shall undertake a final inspection of the lift. This shall include a review of the documentation and a witness of functional tests of protective devices as described in LC007 and LC008 /BS 8486-3 + supplementary test BS 8486-4 to 9.

Sch 13 Product Quality Assurance Safety Components

6.4 Sch 14 Full Quality Assurance Safety Components

6.5 Sch 15 Unit Verification Installed Lift.

- Under this module LIFT CERT Limited shall undertake a final inspection of the lift. This shall include a review of the design, calculations, documentation and a witness of functional tests of protective devices as described in LC007 and LC008 /BS 8486-3 + supplementary test BS 8486-4 to 9.

6.6 Sch 16 Conformity to Type with Random checking for Safety Components – requires full inspection and test of component.

6.7 Sch 17 Product Quality Assurance of Lifts.

6.8 Sch 19 Production Quality Assurance of Installed Lift.

6.9 Sch 18 Full Quality Assurance of Lifts.

- In the case of the modules previously specified Inspection activities will normally be undertaken as part of the surveillance activities. However, in the case of new lift installations, additional visits to site to inspect these lifts may be arranged based upon 10% of Declarations of Conformity issued/annum. This percentage may be adjusted depending on results of previous site visits and number of new installations. Any variations will be described to the customer.

6.10 The Supply of Machinery (Safety) Regulations 2008 – Part 9

- A prototype of the machinery that is to be subjected to type approval shall be fully examined by LIFT CERT LIMITED.

7 Continuing Registration

7.1 Registration will continue for a three-year period from the first registration date subject to payment of all outstanding fees and successful outcome of surveillance visits which are held at annual interval as a minimum. Additional visits may be necessary to verify corrective actions,

conduct extensions to scope or investigate complaints. Client must also continue to provide access to all relevant premises, documents and records for audit purposes by Lift Cert Ltd. Records of Management Reviews and Internal Audits must be retained for a minimum of three years.

- 7.2 Client is required to keep Lift Cert Ltd informed of changes related to:
- 7.2.1 the legal, commercial, organizational status or ownership
 - 7.2.2 organization and management including management representative
 - 7.2.3 contact address and sites
 - 7.2.4 scope of registration
 - 7.2.5 significant changes to the documented management systems.
 - 7.2.6 modifications to product or production processes
 - 7.2.7 any Design Examination Certificate issued

Information shall be sent to Lift Cert Ltd at least twenty-eight days prior to the changes becoming effective.

- 7.3 At the end of the three-year period a recertification visit will be made and following successful completion a new Certificate of Registration will be issued for a further three-year registration period upon payment of all outstanding fees.
- 7.4 For all assessment and surveillance visits fees are to be paid in accordance with Lift Cert Ltd Terms and Conditions. Where a visit is cancelled by the client with less than two weeks' notice Lift Cert Ltd may apply a cancellation fee.
- 7.5 Lift Cert Ltd undertake to keep clients informed of any changes to its requirements for Certification. Compliance with any new requirements will be verified by Lift Cert Ltd.
- 7.6 The client, not Lift Cert Ltd, has the responsibility for the conformity with the requirements for certification.
- 7.7 Where a client issues or prints copies of certificates these must be in their entirety.
- 7.8 Client shall maintain record of all complaints against it and make these available to Lift Cert Limited. In addition, complaints must be actioned appropriately, documented and Lift Cert informed of corrective/preventive actions taken to ensure compliance with the relevant Regulations.

8 Suspension and Withdrawal of Certification

- 8.1 Lift Cert Ltd may suspend or withdraw certification of a client for failure to pay any amounts due. In the case of an application registration will not be granted until all payments are received.

The decision to suspend or withdraw registration will be notified in writing to the client and shall be deemed to become effective 14 days after the date of the letter. If the client wishes their registration to be reinstated, then all payments must be received and Lift Cert Ltd may add further charge to cover the costs involved.

- 8.2 Lift Cert Ltd may at any time suspend or withdraw certification if the client:

- 8.2.1 commits a breach of any of the obligations imposed by these rules.
 - 8.2.2 fails to maintain its management system in accordance with the requirements of the relevant standard.
 - 8.2.3 fails to rectify non-conformities from the relevant standard identified by the auditor during periodic assessment of the management system.
 - 8.2.4 fails to notify Lift Cert Ltd of a new address from which activities covered by the scope of registration are carried out
 - 8.2.5 fails to notify Lift Cert Ltd within twenty-eight days of a change of ownership which results in a change to the controlling interest of the company.
 - 8.2.6 fails to advise Lift Cert Ltd of change to its Management Representative
 - 8.2.7 fails to advise Lift Cert Ltd of a known breach of legislation which may impact on the certification granted.
 - 8.2.8 misuses or misrepresents certification/registration marks in a manner which may bring Lift Cert Ltd into disrepute.
 - 8.2.9 declares itself or is declared insolvent or bankrupt or if in the opinion of Lift Cert Ltd the nature of the client's work has changed or change of ownership affects the conditions under which the client is registered.
 - 8.2.10 it behaves in a fashion which in the opinion of Lift Cert Ltd is against or prejudicial to the reputation, intent or accreditation of Lift Cert Ltd.
 - 8.2.11 No sample of product has been submitted for examination in accordance with clause 9 of these rules.
 - 8.2.12 fails to provide all information and allow necessary arrangements for investigation of complaints.
 - 8.2.13 fails to allow for participation of observers (UKAS, BEIS) at assessment, test or surveillance visits.**
 - 8.2.14 fails to implement any changes required by Lift Cert Limited
- 8.3 Before withdrawing certification Lift Cert Ltd may decide to suspend certification for a period no greater than six months. This decision will be communicated to the client by letter which will identify the reasons for suspension and the actions necessary to restore certification. Within fourteen days the client may make representations in writing to Lift Cert Ltd which Lift Cert Ltd will consider before imposing suspension or continuing certification. Client then has the right of appeal as in clause 10 below. Where it is required, Lift Cert Ltd may carry out a chargeable special audit visit, to resolve any of the above issues.
- 8.4 Before withdrawing certification Lift Cert Ltd will notify the client, in writing, of its decision and allow the client fourteen days to make representation in writing. Lift Cert Ltd will consider these representations before imposing withdrawal and requesting return of all associated Certificates. Client then has the right of appeal as in clause 10 below.
- 8.5 Lift Cert Ltd may make public the withdrawal of certification and the standard(s) which was/were infringed.

- 8.6 It should be noted that where a client is approved under a product directive which relies upon satisfactory quality management system being maintained that approval will also be withdrawn.
- 8.7 Where Certification/Registration is withdrawn client must cease reference to Certification/Registration in any advertisement and must return certification as required by Lift Cert Limited.

9 Quality System and Surveillance

In the case of the following **Schedules** LIFT CERT Limited shall assess the applicant's Quality System.

Following the assessment LIFT CERT Limited shall notify the Applicant of its decision.

THE LIFTS Regulations 2016

Sch 13 Production QA for Safety Components –

Conformity to type based on product quality assurance for safety components for lifts is the part of the Conformity assessment procedure whereby an approved body assesses the quality system of a manufacturer in order to ensure that the safety components for lifts are manufactured and monitored in conformity with the type described in the Type Examination Certificate, satisfy the applicable requirements of Schedule 1 and will enable a lift to which they are correctly incorporated to satisfy those requirements.

Sch 14 Full QA for Safety Components

Conformity based on full quality assurance for safety components for lifts is the Conformity assessment procedure whereby an approved body assesses the quality system of a manufacturer to ensure that the safety components for lifts are designed, manufactured, inspected and tested in order to satisfy the applicable requirements of Schedule 1 and to enable a lift to which they are correctly incorporated to satisfy those requirements.

Sch 17 Production QA for Lifts

Conformity to type based on product is the part of the Conformity assessment procedure whereby an approved body assesses the product quality system of an installer to ensure that the lifts are in conformity with the approved type as described in the Type Examination Certificate or with a lift designed and manufactured under a full quality system approved in accordance with Schedule 18, and satisfy the applicable essential health and safety requirements set out in Schedule 1.

Sch 18 Full Quality Assurance for Lifts

Conformity based on full quality assurance plus design examination for lifts is the Conformity assessment procedure whereby an approved body assesses the quality system of an installer and, where appropriate, the design of the lifts, to ensure that the lifts satisfy the applicable essential health and safety requirements set out in Schedule 1.

Sch 19 QA

Conformity based on production quality assurance for lifts is the part of the Conformity assessment procedure whereby an approved body assesses the production quality system of an installer to ensure that the lifts installed are in conformity with the approved type as described in the Type Examination Certificate or with a lift designed and manufactured under a full quality

system approved in accordance with Schedule 18, and satisfy the applicable essential health and safety requirements set out in Schedule 1.

SOMSAR 2008 – Schedule 2 – Part 10 Full Quality Assurance

A team of Assessors/Engineers shall conduct the assessment and at least one member of the team shall be experienced in Lift Technology. The assessment of the Quality System will be against the BS EN ISO 9001 Standard. As required by ISO 9001:2015 and determination of context the exclusions from Clause 8 of ISO 9001:2015 claimed in the Quality Management system will determine the Schedule of the Lifts Regulations 2016 for which approval can be assessed and awarded. As part of the assessment, samples of documentation and samples of the Product shall be examined to confirm/demonstrate compliance with the relevant designated Standards.

At initial assessment under the Lifts Regulations 2016 Schedules 13,14,17,18,19 or SOMSAR Schedule 2 Part 10 the final product may not be available. A registration certificate may be issued but within one year from date of registration an examination of the product shall be carried out. If this period is exceeded the Lift Cert Limited will review the circumstances and document that the period has been extended or certification withdrawn.

Surveillance of the Quality System shall be undertaken every 6 months, this may vary dependent upon activity levels. Where significant non-compliances are found during surveillance audits the period to the next audit may be reduced until satisfactory performance is re-established. Unannounced Visits may be carried out at the discretion of the Approved Body. During surveillance audits at least one sample of an installed lift/machine shall normally be visited. A full re-assessment will be undertaken every three years.

Note: For all inspection and Q.S. Modules the critical measuring and test equipment must be calibrated and traceable to National Standard (at least to 2nd level).

10 Appeals

In the circumstances LIFT CERT Limited declines to issue the certification or agreement cannot be reached regarding any findings issued then the Manufacturer/member may appeal, in writing or otherwise formally present its case.

The initial appeal should be made within 30 days of receipt of the LIFT CERT Limited Certification decision.

The Appeal should be made to the Technical Director of LIFT CERT Limited or his Deputy, not the person responsible for the assessment.

When the appeal has been completed the decision will be notified, in writing, to the Appellant, including reason for the decision. The manufacturer may then make a further appeal. In this case the matter will be referred to an Independent Arbiter, acceptable to both parties, at the cost of the Appellant.

11 Modifications

Any modifications to a Certified Product or Approved Quality Management System must be advised to LIFT CERT Limited for review, assessment and approval. Failure to notify of such modifications may result in withdrawal of associated approval.

12 Records

Records associated with the Certification project are retained in Confidential Files for a period of ten years following advice from the Applicant that the last unit of relevant lift to which the Certification applies is produced.

13 UKCA Marking

Subject to compliance with these rules the Applicant will be granted the use of LIFT CERT Limited Approved Body Number.

The UKCA Mark applied to Passenger Lifts in conformity with the **Lifts Regulations 2016** shall be followed by the number (**1291**). The Licensee shall not use the Approved Body Number in any other context.

The UKCA mark applied to safety components in conformity with the Lifts Regulations 2016 shall be followed by the number (1291). The Licensee shall not use the Approved Body number in any other context.

The UKCA Mark applied to machines in conformity with the SOM SAR 2008 Schedule 2 Part 10 shall be followed by the number (**1291**). The Licensee shall not use the Approved Body Number in any other context.

If the Licensee wishes to advertise his approval under the **Lifts Regulations 2016**, this can only be done by writing – “Approved to **Schedule ??** of the **Lifts Regulations 2016**”, under the approved Lift Cert Ltd logo.

If the Licensee wishes to advertise his approval under SOM SAR 2008 Schedule 2 Part 10, this can only be done by writing – “Approved to Schedule 2 Part 10 of SOM SAR 2008”, under the approved Lift Cert Ltd logo.

The UKCA Mark shall only be affixed to a Conforming Product and should not be used in any way which could imply another product or service is in compliance with a Regulation.

Should LIFT CERT Limited find evidence that the Licensee is not complying with the undertakings, it reserves the right to withdraw the use of the Approved Number.

14 Fee Structure

At the commencement of the contract, LIFT CERT Limited will inform the Applicant of the Fee Structure and the Applicant agrees to pay such fees as are reasonably incurred during the certification activities. Upon completion of the certification activity and issue of any relevant certificates, if the Applicant has not previously/does not pay the fees invoiced, then LIFT CERT Limited reserves the right to withdraw the Certification issued and inform all other Approved Bodies of its action and the reason for it.

15 Confidentiality

LIFT CERT Limited agrees to keep and to ensure that its personnel (or approved sub-contractors) shall keep, confidential, any information or documentation and all other matters arising or coming to their

attention in connection with the provision of services. Information from complainants or Regulators about a client will be treated as confidential. No one shall at any time, or for any reason whatsoever, disclose or permit the disclosure of any information to any third party, except as permitted hereunder or under the Rules of the Scheme to enable LIFT CERT Limited to carry out its duties and obligations. LIFT CERT may be required, on request, to provide Statutory or Regulatory Bodies with confidential documentation or information, unless prohibited by law.

16 Reference

LIFT CERT Limited Quality Manual

The Lifts Regulations 2016

The Supply of Machinery (Safety) Regulations 2008

Application Form LC002

Lift Conformity Checklist LC007

Lift Test Report LC008 /BS 8486-3 + supplementary reports BS 8486-4 to 9.

17 Appendix – The Lifts Regulations 2016 only

Documentation Information Required	Final Test Sch 12	Unit Verification Sch 15	Design Examination Certificate
Lift Specification	•	•	•
Manufacturer/Designer	•	•	•
Installer Details	•	•	
G A Drawing	•	•	•
Electrical Diag.	•	•	
Hydraulic Circuit	•	•	
Instructions for use of Lift	•	•	
Maintenance Instructions	•	•	
Periodic Inspection Actions	•	•	
Logbook	•	•	
Installation Instructions	•		
Emergency Release Procedures	•	•	
Allocation of Responsibilities for persons carrying out work on lift (Builders notes)	•	•	
Site Specific Requirements			
Fire Protection	•	•	
Disabled Access/Use	•	•	
Local Regulations/Requirements	•	•	
Certificates and Attestations			
Type examination certificate for lift or Conformity Declaration of designer and Design Examination Certificate	•		
Declaration of Conformity			
Buffers	•	•	
Landing Gear Locks	•	•	
Safety Gear Upwards and Downwards Acting	•	•	
Over Speed Governor	•	•	
Rupture/Restrictor Valve	•	•	
Electrical Circuits containing Safety Switches with Electronic Components	•	•	

Documentation Information Required	Final Test Sch 12	Unit Verification Sch 15	Design Examination Certificate
Type Test Certificate			
Buffers energy Accumulating		•	
Landing Door Locks		•	
Safety Gear Upwards and Downwards Acting		•	
Over Speed Governor		•	
Rupture/Restrictor Valve		•	
Electrical Circuits containing Safety Switches with Electronic Components		•	
Other Certificates			
Suspension Rope/Chain Test Certificate	•	•	
Glass Walls/Doors	•	•	
Fire Resistance	•	•	
Calculations			
Suspension Rope/Chain Selection		•	
Guide Rails; type fixings		•	
Guide Rails Calculation		•	
Traction Calculation		•	
Jack/Ram		•	
Risk Assessment	•		•
Clauses of EN81 not complied with design solution			•

18 Appendix – The Lifts Regulations 2016 Safety Components only

Documentation Information Required	Type Examination Sch 15
<p>Safety Component Specification all variants and performance limits re loads and speeds Manufacturer/Designer</p> <p>Drawings Electrical Diag. Hydraulic Circuit Instructions for use of installation of safety component Maintenance Instructions Periodic Inspection Actions Logbook Materials specification</p>	<ul style="list-style-type: none"> • • • • • • • •
<p>A description of the safety component for lifts, including its area of use (in particular possible limits on speed, load and power) and conditions (in particular explosive environments and exposure to the elements).</p> <p>Design and manufacturing drawings and diagrams.</p> <p>Explanations necessary for the understanding of those drawings and diagrams and the operation of the safety component for lifts.</p> <p>A list of the Designated Standards applied in full or in part, where those Designated standards have not been applied, descriptions of the solutions adopted to enable the safety component for lifts to meet the conditions referred to in EHSR'S, including a list of other relevant technical specifications applied. In the event of partly applied Designated standards, the technical documentation shall specify the parts which have been applied.</p> <p>Results of design calculations performed by or for the manufacturer.</p> <p>Test Reports</p> <p>A copy of the instructions for the safety components for lifts.</p> <p>Steps taken at the manufacturing stage to ensure that series-produced safety components for lifts conform to the safety component for lifts examined..</p>	<ul style="list-style-type: none"> • • • • • • • •